

Research Report

Radiocarbon and linguistic dates for occupation of the South Wellesley Islands, Northern Australia

SEAN ULM, NICHOLAS EVANS,
DANIEL ROSENDAHL, PAUL MEMMOTT
and FIONA PETCHEY

Keywords: radiocarbon dates, island colonisation,
Kaiadilt people, Kayardild language, Bentinck Island,
Sweers Island

Abstract

Radiocarbon dates from three Kaiadilt Aboriginal sites on the South Wellesley Islands, southern Gulf of Carpentaria, demonstrate occupation dating to c.1600 years ago. These results are at odds with published linguistic models for colonisation of the South Wellesley archipelago suggesting initial occupation in the last 1000 years, but are consonant with archaeological evidence for post-4200 BP occupation of islands across northern Australia, particularly in the last 2000 years.

The ten islands of the South Wellesley archipelago are dominated by Bentinck Island (c.150 km²), the country of Kaiadilt people (Figure 1). These islands were created between 8000 and 6500 BP with rising sea-levels, peaking at +2 m around 5000–6000 years ago (Nakada and Lambeck 1989; Reeves *et al.* 2007), and comprise ancient weathered laterites and recent estuarine, beach and dune deposits. A minimum open water crossing of 10 km between Bessie and Horseshoe Islands is required to reach Bentinck from the mainland at Point Parker, with limited intervisibility between Bentinck and the mainland. The geographical isolation of Bentinck Island has been cited as a major factor in the development of the distinctive biology, language and material culture of Kaiadilt people (Curtain *et al.* 1972; Curtain *et al.* 1966; Evans 1995, 2005; Memmott *et al.* 2006; Memmott *et al.* 2008; Simmons *et al.* 1962, 1964; Tindale 1962a, 1962b, 1977, 1981; Trigger 1987; White 1997).

SU: Aboriginal and Torres Strait Islander Studies Unit, The University of Queensland, Brisbane, QLD 4072, Australia s.ulm@uq.edu.au; NE: Department of Linguistics, Research School of Pacific and Asian Studies, Australian National University, Canberra, ACT 0200; DR, PM: Aboriginal Environments Research Centre, The University of Queensland, Brisbane, QLD 4072; FP: Radiocarbon Dating Laboratory, University of Waikato, Hamilton 3240, New Zealand.

Limited archaeological studies have been conducted in the southern Gulf of Carpentaria. On the adjacent mainland Robins *et al.* (1998) have reported radiocarbon dates for three sites dating between c.1200 and 200 years ago. For Mornington Island in the north, Memmott *et al.* (2006:38, 39) report dates of c.5000–5500 BP from Wurdukanhan on the Sandalwood River on the central north coast of Mornington Island. In the Sir Edward Pellew Group 250 km to the northwest of the Wellesleys, Sim and Wallis (2008) have documented occupation on Vanderlin Island extending from c.8000 years ago to the present with a major hiatus in occupation between 6700 and 4200 BP linked to the abandonment of the island after its creation and subsequent reoccupation.

Tindale (1963) recognised the archaeological potential of the Wellesley Islands, undertaking the first excavation in the region at Nyinyilki on the southeast corner of Bentinck Island. A 3' x 7' (91 cm x 213 cm) pit was excavated into the crest of the high sandy ridge separating the beach from Nyinyilki Lake:

The first 20 cm had shells, a 'nara shell knife, turtle bone. At 20 cm there was a piece of red ochre of a type exactly parallel with the one which one of the women was using in the camp to dust her thigh in the preparation of rope for the raft the men are making for me. The 20–30 cm band was sterile reddish sand, wind blown, except for one piece of ironstone sharp on one margin which probably was man transported. Below that 80 cm was the same sterile reddish sand (Tindale 1963:243,245).

Tindale (1977:251) also attempted to link archaeological finds on Bentinck Island to palaeogeography, speculating on a mid-to-early Holocene antiquity of some deposits:

the finding of a crude bifacial stone tool of mariwa type ... known to the islands as ['tjilaŋand], which was in situ in deposits which had been planed during the mid-Recent high sea levels between about 6000 and 3800 BP and subsequently exposed by lateral gully erosion.

No other excavations have been conducted on the South Wellesley Islands and the chronology of the southern Gulf region as a whole remains poorly resolved. Current chronologies for occupation of the South Wellesley Islands are based on linguistic analyses. Wellesley Islanders, along with their mainland neighbours, all speak closely-related languages classified as part of the Tangkic family forming a geographically contiguous language unit derived from a common ancestral language (Evans 1990, 1995, 2005). Evans (2005) used linguistic analyses to model internal relationships within the Tangkic family, distinguishing island Tangkic from mainland Tangkic. The close linguistic relationship between Kayardild (the language of Kaiadilt people), centred on Bentinck Island, and Yangkaal, centred on Forsyth Island (North Wellesleys), is seen as incompatible with an extended period of separation. Evans suggests separation of these languages only in the last 1000 years (see also Evans 1995). The grouping of Kayardild and Yangkaal with adjacent mainland languages indicates a period of common linguistic and cultural development consistent with a model of recent colonisation of Forsyth

Site	Square	XU	Depth (cm)	Weight (g)	Lab. No.	$\delta^{13}\text{C}\text{‰}$	^{14}C Age (years BP)	Calibrated Age BP (95.4% probability)	Calibrated Age BP Median
Jirrkamirndiyarrb Site 8	A	9	23-26	10.63	Wk-23663	1.6±0.2	868±44	255*-627	432
Jirrkamirndiyarrb Site 8b	–	–	51.5	18.46	Wk-23664	1.0±0.2	1266±30	565-955	766
Jirrkamirndiyarrb Site 27	–	–	28.2	16.92	Wk-23665	0.9±0.2	688±30	0*-461	268
Wirrngaji	A	12	30.3-33.2	15.26	Wk-23661	0.3±0.2	1373±33	660-1071	860
Wirrngaji	A	23	63.4-66.4	4.19	Wk-23662~	-0.7±0.2	1549±32	831-1263	1048
Nalkurdalayarrb	A	10	24.9-27.8	14.62	Wk-23666	1.4±0.2	2068±39	1336-1821	1580

Table 1: Radiocarbon dates from the South Wellesley Islands. All dates on *Marcia hiatina*. ~ = AMS

* = Date may extend out of range (i.e. modern).



Figure 2. Jirrkamirndiyarrb, Site 8, 18 May 2008, (L-R) Duncan Kelly and John Roberts (Photograph: Daniel Rosendahl, IMG_5518).

a small area towards the northern end of the dune thought to retain *in situ* deposits, which was targeted for a 50 cm x 50 cm test excavation. A single radiocarbon date demonstrates occupation of the site by 1580 cal BP.

Discussion and conclusion

Our excavations have revealed an occupation record confined to the last 2000 years. The earliest date of 1580 cal BP is almost double that predicted by initial linguistic colonisation models (Evans 2005; Memmott *et al.* 2006). Earlier dates are likely given the limited extent of our surveys and excavations.

The emerging chronology of the South Wellesleys coincides with a period of major change documented in Indigenous lifeways across northern Australia, including on western Cape York (Bailey *et al.* 1994; Stone 1992), the mainland coast (Robins *et al.* 1998) and western Torres Strait (Barham *et al.* 2004). On Vanderlin Island, Sim and Wallis (2008:98-99) identify two gaps in human occupation – between 6700 and 4200 BP and 2500 and 1700 BP. Sim and Wallis (2008) have argued that climatic conditions, specifically climatic uncertainty and poor watercraft

technology, precluded colonisation of islands across northern Australia until after 4200 BP. The second period gap between 2500 and 1700 BP correlates with increasing frequency of ENSO events (Allan *et al.* 1996). Sim and Wallis (2008) suggest that this pattern of island use is linked to the unfavourable conditions for watercraft use. The first indication of occupation at Nalkurdalayarrb on Sweers Island c.1600 years ago coincides closely with evidence for renewed occupation on Vanderlin c.1700 BP. Ongoing research will help resolve whether initial occupation of the South Wellesleys is part of the most recent phase of island use across the Gulf of Carpentaria or simply part of a long-term trend.

The available dates suggest that either (a) the Nalkurdalayarrb date on Sweers Island represents an earlier colonisation which was abandoned, with a subsequent colonisation (represented by the 1048 cal BP date for Wirrngaji) being the one founding the present Kaiadilt population (this would be consistent with the chronological assumptions given by current assumed rates of language change); or (b) language change proceeded more slowly among Kaiadilt people than is usually assumed, either because of their isolation or because rates of language change are in fact slower than those assumed by standard models. Indeed, slower rates of change have been attested in island societies elsewhere in the world, since Icelandic and Faroese (as measured on a 200-word list) has replaced its lexicon at a rate of only 7% per millennium (O'Neil 1964), giving a millennial retention rate of 93%. If Kayardilt had diverged from its nearest neighbour Yangkaal at this rate, the degree of vocabulary similarity between them (86%) would be compatible with a separation/South Wellesley colonisation of as old as 2000 years, thus comfortably accommodating the Nalkurdalayarrb date we obtained.

Previous conceptions of colonisation events in the Wellesleys may be too simplistic and emerging models will need to account for the possibility of periodic island abandonment and multiple colonisation events, punctuated by periods of coresidence with cultural groups on larger islands or the mainland. At present, we are unable to distinguish between multiple-colonisation with standard rates of lexical change and a single colonisation with slower rates of lexical change. To distinguish between them, we will need more fine-grained excavation data, capable of

identifying discontinuities in occupation, as well as better dates from Mornington Island that give us another calibration point for checking the rates of linguistic change against archaeological dates. Ongoing investigation of these issues will create opportunities to achieve a more nuanced understanding of cultural change and isolation in the Wellesley Islands.

Acknowledgements

This research was supported under the Australian Research Council's Discovery Projects funding scheme (project number DP0663047). We acknowledge the Kaiadilt, Lardil, Yangkaal and Gangalidda Traditional Owners of the Wellesley Islands as partners in this research project. The Carpentaria Land Council and the Wellesley Islands Land and Sea Committee collaborated with The University of Queensland in establishing the research framework for this project. On Bentinck Island we thank Netta Loogatha, the late May Moodoonuthi, Amy Loogatha, Ethel Thomas, Paula Paul, Dolly Loogatha, Gerald Loogatha, Duncan Kelly, John Roberts and Carl and Eunice Oberdorf. On Sweers Island we thank Tex and Lyn Battle and Mick and Lee Davies for much incidental assistance and thoughtfulness.

References

- Allan, R., J. Lindesay and D. Parker 1996. *El Niño, Southern Oscillation and Climatic Variability*. Collingwood: CSIRO Publishing.
- Alpher, B. and D. Nash 1999. Lexical replacement and cognate equilibrium in Australia. *Australian Journal of Linguistics* 19(1):5-56.
- Bailey, G.N., J. Chappell and R. Cribb 1994. The origin of Anadara shell mounds at Weipa, north Queensland Australia. *Archaeology in Oceania* 29(2):69-80.
- Barham, A.J., M.J. Rowland and G. Hitchcock 2004. Torres Strait bepotaim: An overview of archaeological and ethno-archaeological investigations and research. In I.J. McNiven and M. Quinnell (eds), *Torres Strait Archaeology and Material Culture*, pp.1-72. Memoirs of the Queensland Museum, Cultural Heritage Series. Brisbane: Queensland Museum.
- Bronk Ramsey, C. 1995. Radiocarbon calibration and analysis of stratigraphy: The OxCal program. *Radiocarbon* 37(2):425-430.
- Bronk Ramsey, C. 2001. Development of the radiocarbon calibration program OxCal. *Radiocarbon* 43(2A):355-363.
- Curtain, C., E. van Loghem, H.H. Fudenberg, N.R. Tindale, R.T. Simmons, R.L. Dogherty and G. Vos 1972. Distribution of the immunoglobulin markers at the IgG1, IgG2, IgG3, IgA2, and κ-chain loci in Australian Aborigines: Comparison with New Guinea populations. *American Journal of Human Genetics* 24:145-155.
- Curtain, C., N. Tindale and R. Simmons 1966. Genetically determined blood protein factors in Australian Aborigines of Bentinck, Mornington, and Forsyth Islands and the mainland, Gulf of Carpentaria. *Archaeology and Physical Anthropology in Oceania* 1:74-80.
- Evans, N. 1990. The Minkin language of the Burketown region. In G.N. O'Grady (ed.), *Studies in Comparative Pama-Nyungan*, pp.173-188. Canberra: Pacific Linguistics.
- Evans, N. 1995. *A Grammar of Kayardild*. Berlin: Mouton de Gruyter.
- Evans, N. 2005. East across a narrow sea: Micro-colonization and synthetic prehistory in the Wellesley Islands, northern Australia. In O. Toshiki (ed.), *Linguistics, Archaeology and the Human Past*, pp.9-39. Occasional Paper 1. Kyoto: Research Institute for Humanity and Nature.
- Gale, S.J. and Y.R. Karden 2005. The archaeology of native wells: Aboriginal wells on Sweers Island in the Gulf of Carpentaria of northern Australia. Royal Geographical Society of Queensland Inc. (ed.), *Gulf of Carpentaria Scientific Study Report*, pp.181-200. Geography Monograph Series 10. Brisbane: Royal Geographical Society of Queensland Inc.
- Memmott, P., N. Evans, R. Robins and I. Lilley 2006. Understanding isolation and change in island human populations through a study of Indigenous cultural patterns in the Gulf of Carpentaria. *Transactions of the Royal Society of South Australia* 130(1):29-47.
- Memmott, P., R. Robins and E. Stock 2008. What exactly is a fish trap? Methodological issues for the study of Aboriginal intertidal rock wall fish traps, Wellesley Islands region, Gulf of Carpentaria, Australia. In J. Conolly and M. Campbell (eds), *Comparative Island Archaeologies*, pp.47-67. BAR International Series S1829. Oxford: Archaeopress.
- Nakada, M. and K. Lambeck 1989. Late Pleistocene and Holocene sea-level change in the Australian region and mantle rheology. *Geophysical Journal International* 96(3):497-517.
- O'Neil, W.A. 1964. Problems in the lexicostatistic time depth of Modern Icelandic and Modern Faroese. *General Linguistics* 6(1):27-37.
- Reeves, J.M., A.R. Chivas, A. Garcia and P. De Deckker 2007. Palaeoenvironmental change in the Gulf of Carpentaria (Australia) since the last interglacial based on Ostracoda. *Palaeogeography, Palaeoclimatology, Palaeoecology* 246:163-187.
- Reimer, P.J., M.G.L. Baillie, E. Bard, A. Bayliss, J.W. Beck, P.G. Blackwell, C. Bronk Ramsey, C.E. Buck, G.S. Burr, R.L. Edwards, M. Friedrich, P.M. Grootes, T.P. Guilderson, I. Hajdas, T.J. Heaton, A.G. Hogg, K.A. Hughen, K.F. Kaiser, B. Kromer, F.G. McCormac, S.W. Manning, R.W. Reimer, D.A. Richards, J.R. Southon, S. Talamo, C.S.M. Turney, J. van der Plicht and C.E. Wayhenmayer 2009. IntCal09 and Marine 09 radiocarbon calibration curves, 0-50,000 years cal BP. *Radiocarbon* 51(4):1111-1150.
- Robins, R.P., E.C. Stock, and D.S. Trigger 1998. Saltwater people, saltwater country: Geomorphological, anthropological and archaeological investigations of the coastal lands in the southern Gulf of Carpentaria. *Memoirs of the Queensland Museum, Cultural Heritage Series* 1(1):75-125.
- Sim, R. and L.A. Wallis 2008. Northern Australian offshore island use during the Holocene: The archaeology of Vanderlin Island, Sir Edward Pellew Group, Gulf of Carpentaria. *Australian Archaeology* 67:95-106.
- Simmons, R., J. Graydon and N. Tindale 1964. Further blood group genetical studies on Australian Aborigines of Bentinck, Mornington and Forsyth Islands and mainland, Gulf of Carpentaria, together with frequencies for natives of the Western Desert, Western Australia. *Oceania* 35:66-80.
- Simmons, R.N. Tindale and J. Birdsell 1962. A blood group genetical survey in Australian Aborigines of Bentinck, Mornington and Forsyth Islands, Gulf of Carpentaria. *American Journal of Physical Anthropology* 20:303-320.
- Stone, T. 1992. Origins of the Weipa Shell Mounds. Unpublished MSc thesis, Australian National University, Canberra.
- Telford, R.J., E. Heegaard and H.J.B. Birks 2004. The intercept is a poor estimate of a calibrated radiocarbon age. *The Holocene* 14(2):296-298.
- Tindale, N.B. 1962a. Geographic knowledge of the Kaiadilt people of Bentinck Island, Queensland. *Records of the South Australian Museum* 14:259-296.

- Tindale, N.B. 1962b. Some population changes among the Kaiadilt people of Bentinck Island, Queensland. *Records of the South Australian Museum* 14:297-318.
- Tindale, N.B. 1963. Journal of Field Trip to Wellesley Islands. Adelaide: South Australian Museum. [Pagination as per typescript copy held in S.A. Museum.]
- Tindale, N.B. 1977. Further report on the Kaiadilt people of Bentinck Island, Gulf of Carpentaria, Queensland. In J. Allen, J. Golson and R. Jones (eds), *Sunda and Sahul: Prehistoric Studies in Southeast Asia, Melanesia and Australia*, pp. 247-273. London: Academic Press.
- Tindale, N.B. 1981. Prehistory of the Aborigines: Some interesting considerations. In A. Keast (ed.), *Ecological Biogeography of Australia*, pp.1761-1797. Vol. 3. The Hague: W. Junk Publishers.
- Trigger, D. 1987. Inland, coast and islands: Traditional Aboriginal society and material culture in a region of the southern Gulf of Carpentaria. *Records of the South Australian Museum* 21(2): 69-84.
- Ulm, S. 2006. Australian marine reservoir effects: A guide to ΔR values. *Australian Archaeology* 63:57-60.
- White, N. 1997. Genes, languages and landscapes in Australia. In P. McConvell and N. Evans (eds), *Archaeology and Linguistics: Aboriginal Australia in Global Perspective*, pp.45-81. Melbourne: Oxford University Press.

Copyright of Archaeology in Oceania is the property of University of Sydney and its content may not be copied or emailed to multiple sites or posted to a listserv without the copyright holder's express written permission. However, users may print, download, or email articles for individual use.